




**HERBORNER  
PUMPENTECHNIK**

# **UNIBLOCK-GF**

Kreiselpumpe in Blockbauweise  
Close coupled centrifugal pump  
Pompe centrifuge monobloc

**Kennlinien**  
**Performance curves**  
**Courbes caractéristiques**

**60 Hz**



**Herborner Pumpenfabrik J.H. Hoffmann GmbH & Co. KG**

**Adresse**

Littau 3-5  
D-35745 Herborn

**Tel.**

+49 (0) 2772  
933 - 0

**Fax**

+49 (0) 2772  
933 - 100

**Internet**

<http://www.herborner-pumpen.de>

**e-mail**

[info@herborner-pumpen.de](mailto:info@herborner-pumpen.de)



**1800 min<sup>-1</sup>**




**HERBORNER  
PUMPENTECHNIK**

Herborner Pumpenfabrik GmbH & Co. KG  
Littau 3-5 / DE-35745 Herborn  
Tel.: +49 (0) 2772 / 933-0  
Fax.: +49 (0) 2772 / 933-100  
www.herborner-pumpen.de

Kennlinien  
Performance curves 1800 min<sup>-1</sup> / rpm / t/mn  
Courbes caractéristiques 60 Hz  
Curven

K-BR25A-J-A

**UNIBLOCK-GF**










**HERBORNER  
PUMPENTECHNIK**

Herborner Pumpenfabrik GmbH & Co. KG  
Littau 3-5 / DE-35745 Herborn  
Tel.: +49 (0) 2772 / 933-0  
Fax.: +49 (0) 2772 / 933-100  
www.herborner-pumpen.de

Kennlinien  
Performance curves 1800 min<sup>-1</sup> / rpm / t/mn  
Courbes caractéristiques 60 Hz  
Curven

K-BR25B-J-A

**UNIBLOCK-GF**











**HERBORNER  
PUMPENTECHNIK**

Herborner Pumpenfabrik GmbH & Co. KG  
Littau 3-5 / DE-35745 Herborn  
Tel.: +49 (0) 2772 / 933-0  
Fax.: +49 (0) 2772 / 933-100  
www.herborner-pumpen.de


Kennlinien  
Performance curves 1800 min<sup>-1</sup> / rpm / t/mn  
Courbes caractéristiques 60 Hz  
Curven

K-BR32-J-A


**UNIBLOCK-GF**



**UNIBLOCK-GF**



## UNIBLOCK-GF






**HERBORNER  
PUMPENTECHNIK**

Herborner Pumpenfabrik GmbH & Co. KG  
Littau 3-5 / DE-35745 Herborn  
Tel.: +49 (0) 2772 / 933-0  
Fax.: +49 (0) 2772 / 933-100  
www.herborner-pumpen.de


Kennlinien  
Performance curves 1800 min<sup>-1</sup> / rpm / t/mn  
Courbes caractéristiques 60 Hz  
Curven

K-BR50B-J-A






**UNIBLOCK-GF**




**UNIBLOCK-GF**



**UNIBLOCK-GF**








## UNIBLOCK-GF







**UNIBLOCK-GF**



**UNIBLOCK-GF**



**UNIBLOCK-GF**






**HERBORNER  
PUMPENTECHNIK**

Herborner Pumpenfabrik GmbH & Co. KG  
Littau 3-5 / DE-35745 Herborn  
Tel.: +49 (0) 2772 / 933-0  
Fax.: +49 (0) 2772 / 933-100  
www.herborner-pumpen.de

Kennlinien  
Performance curves 1800 min<sup>-1</sup> / rpm / t/mn  
Courbes caractéristiques 60 Hz  
Curven

K-BR125B-J-A

**UNIBLOCK-GF**










**HERBORNER  
PUMPENTECHNIK**

Herborner Pumpenfabrik GmbH & Co. KG  
Littau 3-5 / DE-35745 Herborn  
Tel.: +49 (0) 2772 / 933-0  
Fax.: +49 (0) 2772 / 933-100  
www.herborner-pumpen.de

Kennlinien  
Performance curves 1800 min<sup>-1</sup> / rpm / t/mn  
Courbes caractéristiques 60 Hz  
Curven

K-BR150A-J-B

**UNIBLOCK-GF**






**HERBORNER  
PUMPENTECHNIK**

Herborner Pumpenfabrik GmbH & Co. KG  
Littau 3-5 / DE-35745 Herborn  
Tel.: +49 (0) 2772 / 933-0  
Fax.: +49 (0) 2772 / 933-100  
www.herborner-pumpen.de






Kennlinien  
Performance curves 1800 min<sup>-1</sup> / rpm / t/mn  
Courbes caractéristiques 60 Hz  
Curven

K-BR150B-J-B

## UNIBLOCK-GF







**UNIBLOCK-GF**








**3600 min<sup>-1</sup>**






**UNIBLOCK-GF**








## UNIBLOCK-GF




**UNIBLOCK-GF**




**UNIBLOCK-GF**




**UNIBLOCK-GF**



## UNIBLOCK-GF



**UNIBLOCK-GF**






**HERBORNER  
PUMPENTECHNIK**

Herborner Pumpenfabrik GmbH & Co. KG  
Littau 3-5 / DE-35745 Herborn  
Tel.: +49 (0) 2772 / 933-0  
Fax.: +49 (0) 2772 / 933-100  
www.herborner-pumpen.de

Kennlinien  
Performance curves 3600 min<sup>-1</sup> / rpm / t/mn  
Courbes caractéristiques 60 Hz  
Curven

K-BR65A-G-A

**UNIBLOCK-GF**






**HERBORNER  
PUMPENTECHNIK**

Herborner Pumpenfabrik GmbH & Co. KG  
Littau 3-5 / DE-35745 Herborn  
Tel.: +49 (0) 2772 / 933-0  
Fax.: +49 (0) 2772 / 933-100  
www.herborner-pumpen.de


Kennlinien  
Performance curves 3600 min<sup>-1</sup> / rpm / t/mn  
Courbes caractéristiques 60 Hz  
Curven

K-BR65B-G-A


## UNIBLOCK-GF








**UNIBLOCK-GF**




## UNIBLOCK-GF



**UNIBLOCK-GF**



**UNIBLOCK-GF**



## UNIBLOCK-GF

